

**TORO**

Count on it.

# Z Master<sup>®</sup> G3

Commercial Zero-Turn Mowers





## **Designed for the Pros, by the Pros**

The Toro® Z Master® G3 represents Toro's next generation of zero-turning radius mowers. Everything added to this series was developed with the landscape contractor in mind. It's technology that refines the Z Master to make a great commercial mower even better.

## Outstanding Performance

Z Master® G3 models have a low center of gravity, adding more stability for greater handling on hills. And while maneuverability on Z Master mowers has always been outstanding, now it's simply superior.

Of course, the true judge of a mower's performance is the customer who looks at the lawn after you've finished, and your customers will definitely be pleased with the immaculate after-cut appearance.



ROPS is now angled rearward with a lower fold point and quick-adjust spring pins (OSHA approved)



Maximum-dispersion rubber discharge chute



Convenient storage compartments



Robust cast iron spindle housings with solid 1" steel spindle shafts (and tapered roller bearings on select models)



Semi-pneumatic flat-free caster tires



### Improved Comfort

Not only will you be comfortable choosing a Z Master® G3, you'll be comfortable riding on one. The custom seat features large bolsters, thick cushions and 3-D isolator mounts that absorb bumps and vibrations to reduce operator fatigue.



### Smooth, Powerful Response

The new unitized pump and wheel motor use proven commercial hydraulic components while eliminating hoses and other potential leak points. You'll get a smoother, faster response while enjoying an even more reliable machine.



### Easy Maintenance

It couldn't be called a Toro if it wasn't built with ease of use in mind. From oil changes to leveling decks to height adjustments, working on Z Master G3 mowers is simple and easy.



## All The Favorites

While Z Master® G3 mowers offer plenty of enhancements and refined technology, all the features that have made Z Master mowers the popular choice for landscape contractors are still here ...

### DURABILITY

- Cutting platform that's 33% thicker and 75% stronger than the ordinary 10-gauge steel found on many decks
- Long-lasting spindle housings, shafts, frame and wheel assemblies

### RELIABILITY

- Top-quality commercial-grade engines
- Everything from flat-free tires to heavy-duty air filtration for long-term service

### PRODUCTIVITY

- High-capacity, 5-1/2" deep deck design
- Exclusive TURBO FORCE® adjustable discharge baffle to fine-tune cutting performance (*available on select models*)
- Comfortable, easy-to-use controls

### SAFETY

- Two-position, folding ROPS (OSHA approved)
- Tested to ANSI B71.4 safety standards



### Solid Deck Support

Robust hanger castings, solid links and race-inspired deck struts with rubber bushings combine to eliminate deck sway, ensuring a clean, level cut every time. You'll also appreciate the easy height-of-cut system, which allows for adjustment in 1/4" increments over a 1"-5-1/2" range, and the new transport position lockout.



### Everything At A Glance

The easy-to-see instrument panel includes a digital hour meter, fuel gauge, voltage meter and diagnostic indicators. All the information you need is available at a glance.



### Fill Up With Ease

The 12-gallon tank has a single fill point, so whether you're using a fuel can or fueling on a trailer at the pump, gassing up is simple and easy.

### TURBO FORCE® Cutting Technology

Toro blends toughness with precision by combining 7-gauge, high-strength steel, 1/4"-thick flex-resistant blades, massive spindle assemblies, a rubber discharge chute and a rugged bull-nose front bumper with amazing grass cutting capabilities. The patented TURBO FORCE adjustable front baffle (*available on select models*) lets you fine tune the performance to get the exact cut and look you want under a variety of conditions. Easily adapt to the on-site conditions for a quality cut and beautiful after-cut appearance.



**Toro innovation and performance  
also can be found in these other  
commercial-grade mowers.**



GrandStand™ Stand-On



Z Master® Z580 and  
Z590 Series Models



Z Master Z400 and  
Z500 Series Models



Z Master Z300 Series  
Sub-Compact Models



Mid-Size  
Walk-Behind Mowers



21" Commercial  
Walk-Behind Mowers

See your local Toro dealer or visit  
[toro.com/professional](http://toro.com/professional) for more information.

## Adding more pop to the popular Z Master.®

When your family tree includes industry performance leaders



like **TURBO FORCE**® cutting technology,

**7-gauge, high-strength** steel decks,

**biodiesel-ready** mowers,



the **toughest spindle** assemblies and more,



you have a lot to live up to. But you also have

a lot to build on, and that's exactly what Toro's

done with the G3 series of Z Master zero-turn mowers. From the

**improved comfort** to **enhanced**

**traction and control**, Toro has added

more features for pros like you.



## Specifications

Model	Z Master G3	Z Master G3 Performance	Z Master G3 Performance – Big Block
Model Number	74901, 74903, 74915	74921, 74923, 74925, 74927	74935, 74937
<b>Power System</b>			
Engine	23 hp Kohler® Command 25 hp Kohler Command 27 hp Kohler Command Pro	23 hp Kawasaki® 27 hp Kawasaki 29 hp Kawasaki (60", 72")	34 hp Kawasaki
Heavy-Duty Canister Air Cleaner	23 and 25 hp – Optional 27 hp – Standard	Standard	Standard
Drive Tires	23" X 9.5" – 12" (48", 52") 24" X 12" – 12" (60")	23" X 9.5" – 12" (48", 52") 24" X 12" – 12" (60", 72")	24" X 12" – 12"
Tire Tread	Turf Master	Multi Trak	Multi Trak
Caster Tires	13" X 5" – 6" Flat-free Semi-Pneumatic	13" X 5" – 6" Flat-free Semi-Pneumatic	13" X 5" – 6" Flat-free Semi-Pneumatic
Fuel Capacity [Gallons]	12	12	12
Digital Information Center	Standard	Standard	Standard
Digital Fuel Gauge	Standard	Standard	Standard
Maximum Ground Speed [mph fwd]	10	10 (12cc); 11.5 (16cc)	11.5
Hydraulic Drive System	12cc/rev pump (shock valves on 60")	12cc/rev pump (48", 52") 16cc/rev pump (60", 72")	16cc/rev pump
<b>Mowing Decks</b>			
Available Deck Widths	48"   52"   60"	48"   52"   60"   72"	60"   72"
Cutting Deck	TURBO FORCE®	TURBO FORCE	TURBO FORCE
7-Gauge Steel Construction	Standard	Standard	Standard
Bull-nose Bumper	Standard	Standard	Standard
Adjustable Discharge Baffle	Not Available	Std. w/ Tool-Free Adjustment	Std. w/ Tool-Free Adjustment
Rubber Discharge Chute	Standard	Standard	Standard
Deck Lift Design	Extension Spring	Torsion Spring	Torsion Spring
1" Heavy-Duty Spindle Shaft	Standard	Standard	Standard
Spindle Bearings (Greaseable)	Ball Bearings	Tapered Roller Bearings	Tapered Roller Bearings
Cutting Height	1.0" – 5.5"	1.0" – 5.5"	1.0" – 5.5"
<b>Features</b>			
Operator Seat	Includes 3-D Isolation	Includes 3-D Isolation	Includes 3-D Isolation
Arm Rests	Standard	Standard	Standard
Seat Suspension System	Optional	Optional	Optional
Two-Position Folding ROPS	Standard	Standard	Standard
Beverage Holder	Standard	Standard	Standard
Storage Compartments	Standard	Standard	Standard
Foot Pedal Deck Lift	Standard	Standard	Standard
Z-Stand	Optional	Optional	Optional

The gross horsepower of these engines was laboratory rated by the engine manufacturer in accordance with SAE J1940. As configured to meet safety, emission and operating requirements, the actual engine horsepower on these mowers will be significantly lower.



Proud supporter of



**Count on it.**

Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, designs and standard equipment without notice and without incurring obligation. See your dealer for details on all of our warranties.

©2008 The Toro Company. All Rights Reserved. 490-7841  
A Spanish version of this brochure is available from Parts. 490-7848